

# PORT TRAFFIC LED


生效日期: 87.2.10

**D-Link** Corp.

DOC. No.: 305DES3208 --A1--

SHEET SIZE B: 15.2 X 11.7

APPROVED: 17/10/97  
CHECKED: 17/10/97  
TITLE: ES-3208L : LED ARRAY  
PREPARED BY: Chris Tzou  
ISSUE DATE: 9/10/97  
REV: 2100  
REV: 2200  
REV: 2300  
REV: 2400  
REV: 2500  
REV: 2600  
REV: 2700  
REV: 2800  
REV: 2900  
REV: 3000  
REV: 3100  
REV: 3200  
REV: 3300  
REV: 3400  
REV: 3500  
REV: 3600  
REV: 3700  
REV: 3800  
REV: 3900  
REV: 4000  
REV: 4100  
REV: 4200  
REV: 4300  
REV: 4400  
REV: 4500  
REV: 4600  
REV: 4700  
REV: 4800  
REV: 4900  
REV: 5000  
REV: 5100  
REV: 5200  
REV: 5300  
REV: 5400  
REV: 5500  
REV: 5600  
REV: 5700  
REV: 5800  
REV: 5900  
REV: 6000  
REV: 6100  
REV: 6200  
REV: 6300  
REV: 6400  
REV: 6500  
REV: 6600  
REV: 6700  
REV: 6800  
REV: 6900  
REV: 7000  
REV: 7100  
REV: 7200  
REV: 7300  
REV: 7400  
REV: 7500  
REV: 7600  
REV: 7700  
REV: 7800  
REV: 7900  
REV: 8000  
REV: 8100  
REV: 8200  
REV: 8300  
REV: 8400  
REV: 8500  
REV: 8600  
REV: 8700  
REV: 8800  
REV: 8900  
REV: 9000  
REV: 9100  
REV: 9200  
REV: 9300  
REV: 9400  
REV: 9500  
REV: 9600  
REV: 9700  
REV: 9800  
REV: 9900  
REV: 10000



















USE 1M OR 2M BYTE MEMORY.  
MT4C16270-256Kx16  
MEMORY IS 60ns EDO RAM  
MUST BE EDO RAM

6/21




<b>D-Link</b> DOC. NO.: 305DES3208 ---A1-		Approved: <u>张瑞财</u> Checked: <u>张瑞财</u>	Prepared: <u>Chris Tzou</u> Issued Date: <u>12/28/96</u> Title: <u>ES-3208P1 PORT 1,2,3,4 DRAM</u>
Version: <u>A</u>		Size: <u>2100</u> B: <u>XXB-R61610</u> Date: <u>December 15, 1997</u>	REV: <u>A1</u> REV: <u>2100</u> REV: <u>2200</u> REV: <u>2300</u> REV: <u>2400</u> REV: <u>2500</u> REV: <u>2600</u> REV: <u>2700</u> REV: <u>2800</u> REV: <u>2900</u> REV: <u>3000</u> REV: <u>3100</u> REV: <u>3200</u> REV: <u>3300</u> REV: <u>3400</u> REV: <u>3500</u> REV: <u>3600</u> REV: <u>3700</u> REV: <u>3800</u> REV: <u>3900</u> REV: <u>4000</u> REV: <u>4100</u> REV: <u>4200</u> REV: <u>4300</u> REV: <u>4400</u> REV: <u>4500</u> REV: <u>4600</u> REV: <u>4700</u> REV: <u>4800</u> REV: <u>4900</u> REV: <u>5000</u> REV: <u>5100</u> REV: <u>5200</u> REV: <u>5300</u> REV: <u>5400</u> REV: <u>5500</u> REV: <u>5600</u> REV: <u>5700</u> REV: <u>5800</u> REV: <u>5900</u> REV: <u>6000</u> REV: <u>6100</u> REV: <u>6200</u> REV: <u>6300</u> REV: <u>6400</u> REV: <u>6500</u> REV: <u>6600</u> REV: <u>6700</u> REV: <u>6800</u> REV: <u>6900</u> REV: <u>7000</u> REV: <u>7100</u> REV: <u>7200</u> REV: <u>7300</u> REV: <u>7400</u> REV: <u>7500</u> REV: <u>7600</u> REV: <u>7700</u> REV: <u>7800</u> REV: <u>7900</u> REV: <u>8000</u> REV: <u>8100</u> REV: <u>8200</u> REV: <u>8300</u> REV: <u>8400</u> REV: <u>8500</u> REV: <u>8600</u> REV: <u>8700</u> REV: <u>8800</u> REV: <u>8900</u> REV: <u>9000</u> REV: <u>9100</u> REV: <u>9200</u> REV: <u>9300</u> REV: <u>9400</u> REV: <u>9500</u> REV: <u>9600</u> REV: <u>9700</u> REV: <u>9800</u> REV: <u>9900</u> REV: <u>10000</u>




USE 1M OR 2M BYTE MEMORY.  
 MT4C16270-256Kx16  
 MEMORY IS 8Dns EDO RAM  
 MUST BE EDO RAM

<b>D-Link</b> Corp.		Approved: <i>[Signature]</i>	Prepared: iChris Tzou
DOC. NO.: 305DES3208 --A1-		Checked: <i>[Signature]</i>	Issued Date: 12/28 '96
Title: <i>Chv379</i>		Size Document Number: 2100	
Version: A		REV: A1	
Date: December 15, 1997		Sheet: 6 of 20	

1 TXD10...37 RXD10...37




PHY ADDRESS : MV3,MV4,MV4,MV4,MV2 (00001) FOR PORT 0  
PHY ADDRESS : MV3,MV4,MV4,MV4,MV1,MV3 (00010) FOR PORT 1  
ENABLE AUTO-NEGOTIATION VIA : FDXPLX /MDPLX ,100/10  
PHY MODE, ENCODER ENABLE, SCRAMBLER ENABLE




821

D-Link Corp.		Approved: 17/6/97	Chris Tzou
DOC. NO.: 305DES3208 --A1		Checked: 17/6/97	11/18 '96
		Version: A	ES-3208SI PORT 1 PHY
		Size: 2101	2201
		Date: December 15, 1997	Sheet 7 of 20








10/21

**D-Link®**

DOC. NO.: 305DES3208 -- A1 -

Approved:	12/16/91	Chris Tsou	11/18 '96
Checked:	張福財 12/16/91	Title	
		Size	
		ES-3208BI	
		Port 3	
		Document Number	
		Version: A	
		Created: 12/18/96	
		Date	


DOC. NO.: 305DES3208 -- A1- Version: A Size Document Number 2201 REV A1  
Date: December 15, 1997 Sheet 5 of 20




11/21

**D-Link®**  
DOC. NO.: 305DES3208 -- A1

Approved:	张福财	17/16/97		Chen's Zhou 11/18 '96	Christy	
Checked:	张福财	17/16/97	Title	E5-320BBI PORT A PMY		
Version:	A		Size Document Number	2101 B 2201	REV	01
Date:				December 15, 1997	Event	10 of 20




<b>D-Link®</b> Corp.	Approved: 張福財 12/16/97	Chris Tsou 11/18 '96	Title ES-3208B1 PORT 5 PHY	Chris Tsou
	Checked: 張福財 7/16/97	Size Document Number 2101 B 2201		
DOC. NO.: 305DES3208--A1-				



12/81

<b>D-Link®</b>		Approved: <u>張福財</u> 11/16/99		Chris Tzou 11/18 '99		Title: <u>Pho3 You</u>	
DOC. NO.: 305DES3208--A1-		Checked: <u>張福財</u> 11/16/99		ES-3208BI PORT 6 PHY		Size Document Number	
		Version: <b>A</b>		2101 2201		REV	
						a1	
						Date: December 15, 1999 Sheet 12 of 20	





15/21

Chris Tzou  
11/18/96

L

張福財

**Approved:**

--	--

# Drinking

DOC. NO.: 305DES3208 ---A1-

Version:	A	Size:	D
----------	---	-------	---

1

-A1


DOC. NO.: 305DES3208-

1


---












<b>D-Link®</b>		Corp.	
DOC. NO.: 305DES3208 ---A1-		Approved: 張福財	Prepared: IC,hris Yzou
		Checked: 張福財	Issued Date: 12/28 '96
			Title
			ES-3208BI TRAFFIC CKT
			Size
		Version: A	Document Number
			XXB-4616102A00
			Date: JULY 25, 1997
			18 of 20
			REV
			A1

LXT970  
SM3  
SM2  
SM1  
MII  
GT48002A  
68HC705



III CONNECTOR & CONTROL CKT.

126

# D-Link<sup>®</sup> Corp.

Approved:	张福刚	12/16/97	Prepared	:Chris Tzou
Checked:	张福刚	12/16/97	Issued Date:	12/28 '96
			Title	
			ES-3200MI IPI CONN. & CONTROL CKT	
Version:		A	Size	2200
			B	2210
			Date	December 15, 1997
			Document Number	XXB-R61610
			REV	AL
			REV	20

305DES3208--A1-



生效日期: 87. 2. 16

REV DATE:

ISSUED DATE: 87. 2. 16

DOC NO. 305DES3208---A1-

VERSION

PAGE OF 0 / 21

文件履歷表

ES-3208

A1 CKT Diagram

修訂日期

版本

變更內容

87. 2. 16

A

Refer NPR DES 3208---A1-01