

## Product Highlights

### 1000 Mbps Network Connectivity

Create a fast, reliable wired connection to your network by simply plugging the adapter into your PC.

### Connect Your Peripherals

Three USB 3.0 ports for connecting peripheral devices to your computer.

### Additional USB Type-C / USB Type-A Adapter

The additional adapter allows to use the DUB-2332 network adapter on your computer equipped only with the USB 3.0 Type-A port.



## DUB-2332

### USB-C to Gigabit Ethernet Network Adapter with 3xUSB 3.0 and USB-A to USB-C Adapter

#### Specifications

- Gigabit Ethernet port
- USB Type-C connector
- Three USB 3.0 Type-A ports
- Additional adapter with USB Type-C port and USB 3.0 Type-A connector
- USB Specification Version 3.0
- Backwards compatible with USB 2.0 and USB 1.1
- Plug-and-Play installation
- Works on Windows and macOS computers

The DUB-2332 network adapter provides Gigabit Ethernet connectivity for desktop and portable computers. Just plug the adapter into your computer's USB Type-C port, and you will be able to connect a switch or a router to your computer using Ethernet cable. If your computer does not have USB Type-C port, you can plug the additional adapter into your computer's USB 3.0 Type-A port, and then use the USB Type-C interface. With the three USB 3.0 ports, allowing you to connect peripheral devices to your computer, the DUB-2332 can also act as a hub.

#### Gigabit Ethernet Connectivity

The DUB-2332 network adapter can be plugged into any available USB Type-C port on your computer to enable you to connect to an Ethernet network. The DUB-2332 supports IEEE 802.3ab 1000Base-T standard, providing data rates of up to 1000 Mbps. This adapter provides network connectivity even for the computers, that don't have RJ-45 port. The DUB-2332 eliminates the need to open your computer to install a network card, and it also lets you keep your laptop's expansion slot free for other uses.

#### Add Three USB 3.0 Ports to Your Computer

With the DUB-2332 network adapter, you can conveniently add three USB 3.0 ports and connect peripheral devices to your computer. USB 3.0 technology supports data rates of up to 5 Gbps.

#### Easy to Install and Use

The DUB-2332 network adapter connects to your computer's USB Type-C port and is ready to run almost as soon as it's plugged in. There is no need to change any configuration settings on your computer, just install the device drivers.

#### Additional USB Type-A to USB Type-C Adapter

The additional adapter allows to use the DUB-2332 network adapter on your computer equipped only with the USB 3.0 Type-A port.

**Technical Specifications**

**Hardware**

Chipset	<ul style="list-style-type: none"> <li>• RTL8153</li> </ul>
Interfaces	<ul style="list-style-type: none"> <li>• RJ-45 Ethernet port (10/100/1000 Mbps)</li> <li>• Three USB 3.0 Type-A ports</li> <li>• USB Type-C connector</li> </ul> Additional adapter: <ul style="list-style-type: none"> <li>• USB Type-C port</li> <li>• USB 3.0 Type-A connector</li> </ul>
LEDs	<ul style="list-style-type: none"> <li>• Speed 1               <ul style="list-style-type: none"> <li>- Flashing red - data transmission at 10 Mbps or 100 Mbps</li> </ul> </li> <li>• Speed 2               <ul style="list-style-type: none"> <li>- Flashing green - data transmission at 1000 Mbps</li> </ul> </li> </ul>

**Functionality**

Standards and Functions	<ul style="list-style-type: none"> <li>• USB 3.0</li> <li>• USB 2.0</li> <li>• USB 1.1</li> <li>• IEEE 802.3 10Base-T</li> <li>• IEEE 802.3u 100Base-TX</li> <li>• IEEE 802.3ab 1000Base-T</li> <li>• Pause mode</li> <li>• Wake-on-LAN</li> </ul>
Data rate	<ul style="list-style-type: none"> <li>• Up to 5 Gbps (USB 3.0)</li> <li>• Up to 1000 Mbps (Ethernet)</li> </ul>

**System Requirements**

Minimum System Requirements	<ul style="list-style-type: none"> <li>• Available USB Type-C or USB 3.0 Type-A port<sup>1</sup></li> <li>• Windows 7/8/8.1/10, macOS (OS X 10.8 and above)</li> </ul>
-----------------------------	--

**Physical Parameters**

Dimensions (L x W x H)	• 83.7 x 24 x 16.5 mm
Weight	• 0.04 kg

**Environmental Conditions**

Power input	• From computer (USB bus powered)
Temperature	<ul style="list-style-type: none"> <li>• Operating: 0 to 40 °C</li> <li>• Storage: -10 to 70 °C</li> </ul>
Humidity	<ul style="list-style-type: none"> <li>• Operating: up to 85% non-condensing</li> <li>• Storage: up to 85% non-condensing</li> </ul>

**Package Contents**

<ul style="list-style-type: none"> <li>• DUB-2332 network adapter</li> <li>• USB-A to USB-C adapter</li> <li>• Quick Installation Guide</li> <li>• Warranty documents</li> </ul>
--

**Order Information**

Part Number	Description
DUB-2332	USB-C to Gigabit Ethernet Network Adapter with 3xUSB 3.0 and USB-A to USB-C Adapter

<sup>1</sup> Using a USB 1.1 or USB 2.0 port will affect device performance. USB 3.0 port is recommended.