

Product Highlights

Connect your peripherals

Three USB 3.0 ports for connecting peripheral devices to your computer.

Power Delivery 3.0 standard

USB Type-C port for connecting PD 3.0 charger, allowing to deliver power to your laptop via connected DUB-2335 docking station.

Gigabit Ethernet and HDMI ports

Gigabit Ethernet port provides of up to 1000 Mbps network connectivity. HDMI port supporting up to 4K resolution for connecting monitor.



DUB-2335

USB-C Mini Docking Station with 3xUSB 3.0, USB-C/PD 3.0, HDMI and Gigabit Ethernet

Features

Connectivity

- Three USB 3.0 Type-A ports
- Backwards compatible with USB 2.0 and USB 1.1
- USB Type-C/PD 3.0 port
- HDMI port
- Gigabit Ethernet port

Easy to Use

- Plug-and-Play support
- Compact design
- Works on Windows and macOS computers

The DUB-2335 docking station allows you to enhance the functionality of your laptop or desktop computer equipped with USB Type-C port. USB 3.0 ports allow to connect up to three peripheral USB devices to the DUB-2335, Gigabit Ethernet port provides of up to 1000 Mbps network connectivity, and HDMI port¹ supporting up to 4K resolution is used for connecting monitor. USB Type-C port is intended for connecting PD 3.0 charger, allowing to deliver not only data, but also power to your laptop via connected DUB-2335 docking station². This means you can charge your laptop while also connect additional devices like monitors, digital and web cameras, card readers, hard drives, mice, keyboards, printers, scanners, and other peripheral and network devices.

Add Three USB 3.0 Ports to Your Computer

With the DUB-2335 docking station, you can conveniently add three USB 3.0 ports and connect peripheral devices to your computer. USB 3.0 technology supports data rates of up to 5 Gbps.

PD 3.0 Standard

USB Type-C port is intended for connecting PD 3.0 charger, allowing to deliver not only data, but also power to your laptop via connected DUB-2335 docking station².

Plug-and-Play Support

Simply connect the DUB-2335 to your computer. It's that easy - no drivers or software installation is required.

Technical Specifications	
Hardware	
Chipset	• RTL8153
Interfaces	• One USB Type-C connector • Three USB 3.0 Type-A ports • One USB Type-C/PD 3.0 port • One HDMI port • One RJ-45 Ethernet port (10/100/1000 Mbps)
LEDs	• Link (per Ethernet port) - Solid white - Ethernet connection • Speed (per Ethernet port) - Flashing orange - data transmission
General	
Standards	• USB 3.0 • USB 2.0 • USB 1.1 • IEEE 802.3 10Base-T • IEEE 802.3u 100Base-TX • IEEE 802.3ab 1000Base-T
Data rate	• Up to 5 Gbps (USB 3.0) • Up to 1000 Mbps (Ethernet)
Resolution	• 4K @ 30 Hz
System requirements	• Available USB Type-C port • Windows 7/8/8.1/10 and above, macOS (OS X 10.8 and above)
Physical Parameters	
Dimensions (L x W x H)	• 103 x 45.5 x 15 mm
Weight	• 0.08 kg
Environmental Conditions	
Power input	• From computer (USB bus powered)
Supplied charging voltage/current	• 20 V / 3 A (PD 3.0)
Temperature	• Operating: 0 to 45 °C • Storage: -10 to 70 °C
Humidity	• Operating: up to 85% non-condensing • Storage: up to 85% non-condensing
Package Contents	
<ul style="list-style-type: none"> • DUB-2335 docking station • Quick Installation Guide • Warranty documents 	
Order Information	
<i>Part Number</i>	<i>Description</i>
DUB-2335	USB-C Mini Docking Station with 3xUSB 3.0, USB-C/PD 3.0, HDMI and Gigabit Ethernet

¹ Please make sure that the USB Type-C port of your computer supports DP Alt (DisplayPort Alternate Mode).

² Please make sure that the USB Type-C port of your laptop supports PD 3.0.